## SAFETY DATA SHEET

## **FL-05 Dry Fluid Loss**

Version 1.5

Revision Date 2017-01-13

ECTION 1: Identification	of the substance/mixture and of the company/undertaking
Product information	
Product Name	EL-05 Dry Fluid Loss
Use	: Cement Additive
Company	<ul> <li>Downhole Solutions</li> <li>81694 Hwy 41</li> <li>Bush, La 70431</li> </ul>
Emergency telephone	):
Asia: +800 CHEMC. EUROPE: BIG +32. Mexico CHEMTREC	24.9300 or 703.527.3887(int'l) ALL (+800 2436 2255) China:+86-21-22157316 14.584545 (phone) or +32.14583516 (telefax) C 01-800-681-9531 (24 hours) S-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
ECTION 2: Hazards ident	ification
	tance or mixture sified in accordance with the hazard communication standard 29 CFR bels contain all the information as required by the standard.
Classification	:
Not a hazardous substa	ance or mixture.
Labeling	
Not a hazardous substa	ance or mixture.
	1/9

		SAFETY DATA SH	
sion 1.5	Revision Date 2017-01		
Carcinogenicity:			
IARC		duct present at levels greater than or d as probable, possible or confirmed RC.	
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
ACGIH	by NTP. No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.		
TION 3: Composition/infor	rmation on ingredients		
Synonyms	: FL		
Molecular formula	: Mixture		
Component	CAS-No.	Weight %	
Potassium Chloride	7447-40-7	40 - 70	
TION 4: First aid measures	9		
General advice	: Do not leave the victim	unattended.	
If inhaled	: If unconscious, place ir advice. If symptoms pe	n recovery position and seek medical ersist, call a physician.	
In case of eye contact	lenses. Protect unharn	as a precaution. Remove contact ned eye. Keep eye wide open while persists, consult a specialist.	
If swallowed	respiratory tract clear.	liately and call a physician. Keep Never give anything by mouth to an f symptoms persist, call a physician.	
TION 5: Firefighting measu	ures		
Flash point	: Not applicable		
Autoignition temperature	: Not applicable		
Unsuitable extinguishing media	: High volume water jet.		
Special protective equipment for fire-fighters	: Wear self-contained bronecessary.	eathing apparatus for firefighting if	
	: Standard procedure for	chemical fires. Use extinguishing	
Further information	measures that are appr	ropriate to local circumstances and the	

		SAFETY DATA SHEE
rsion 1.5		Revision Date 2017-01-
		surrounding environment.
Fire and explosion protection	:	Provide appropriate exhaust ventilation at places where dust is formed.
Hazardous decomposition products	:	No data available.
CTION 6: Accidental release	me	asures
Personal precautions	:	Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
Additional advice	:	Contaminated surfaces will be extremely slippery. Avoid spillage on floor as the product can become very slippery when wet. Sweep up to prevent slipping hazard.
CTION 7: Handling and stora	ige	
Handling		
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
Storage		
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
CTION 8: Exposure controls/	/per	sonal protection
Engineering measures		
Consider the potential hazard activities, and other substand personal protective equipment exposure to harmful levels of recommended. The user sho	ces i nt. f this ould	If engineering controls or work practices are not adequate to preve s material, the personal protective equipment listed below is read and understand all instructions and limitations supplied with
Consider the potential hazard activities, and other substance personal protective equipment exposure to harmful levels of recommended. The user sho	ces i nt. f this ould on is	in the work place when designing engineering controls and selectin If engineering controls or work practices are not adequate to preve s material, the personal protective equipment listed below is read and understand all instructions and limitations supplied with s usually provided for a limited time or under certain circumstances
Consider the potential hazard activities, and other substance personal protective equipment exposure to harmful levels of recommended. The user sho the equipment since protection	ces i nt. f this ould on is <b>nen</b>	in the work place when designing engineering controls and selectin If engineering controls or work practices are not adequate to preve s material, the personal protective equipment listed below is read and understand all instructions and limitations supplied with s usually provided for a limited time or under certain circumstances

sion 1.5	Revision Date 2017-01
	maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Air-Purifying Respirator for Dusts and Mists / P100. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:.
Hand protection	: The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	: Eye wash bottle with pure water. Tightly fitting safety goggles.
Skin and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Lightweight protective clothing. Safety shoes.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
TION 9: Physical and cher	nical properties
Information on basic phys	sical and chemical properties
Information on basic phys Appearance	sical and chemical properties
Information on basic phys	
Information on basic phys Appearance Form Physical state Color	sical and chemical properties : Powder : Solid
Information on basic phys Appearance Form Physical state	sical and chemical properties : Powder : Solid
Information on basic phys Appearance Form Physical state Color Safety data	sical and chemical properties : Powder : Solid : White to off-white
Information on basic phys Appearance Form Physical state Color Safety data Flash point	sical and chemical properties
Information on basic phys Appearance Form Physical state Color Safety data Flash point Lower explosion limit	sical and chemical properties
Information on basic phys Appearance Form Physical state Color Safety data Flash point Lower explosion limit Upper explosion limit	<ul> <li>sical and chemical properties</li> <li>Powder</li> <li>Solid</li> <li>White to off-white</li> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> </ul>
Information on basic phys Appearance Form Physical state Color Safety data Flash point Lower explosion limit Upper explosion limit Oxidizing properties	<ul> <li>sical and chemical properties</li> <li>Powder</li> <li>Solid</li> <li>White to off-white</li> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> <li>no</li> </ul>
Information on basic phys Appearance Form Physical state Color Safety data Flash point Lower explosion limit Upper explosion limit Oxidizing properties Autoignition temperature	<ul> <li>sical and chemical properties</li> <li>Powder</li> <li>Solid</li> <li>White to off-white</li> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> <li>no</li> <li>Not applicable</li> </ul>
Information on basic phys Appearance Form Physical state Color Safety data Flash point Lower explosion limit Upper explosion limit Oxidizing properties Autoignition temperature Molecular formula	<ul> <li>sical and chemical properties</li> <li>Powder</li> <li>Solid</li> <li>White to off-white</li> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> <li>no</li> <li>Not applicable</li> <li>ino</li> <li>Mixture</li> </ul>
Information on basic phys Appearance Form Physical state Color Safety data Flash point Lower explosion limit Upper explosion limit Oxidizing properties Autoignition temperature Molecular formula Molecular weight	<ul> <li>sical and chemical properties</li> <li>Powder</li> <li>Solid</li> <li>White to off-white</li> <li>Not applicable</li> <li>No data available</li> <li>No data available</li> <li>no</li> <li>Not applicable</li> <li>Mixture</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
Information on basic phys Appearance Form Physical state Color Safety data Flash point Lower explosion limit Upper explosion limit Oxidizing properties Autoignition temperature Molecular formula Molecular weight pH	sical and chemical properties

	SAFETY DATA SHEE
ersion 1.5	Revision Date 2017-01-
Vapor pressure	: Not applicable
Relative density	: 0.8
Water solubility	: Soluble
Viscosity, kinematic	: No data available
Relative vapor density	: No data available
CTION 10: Stability and react	tivity
Possibility of hazardous rea	actions
Conditions to avoid Hazardous decomposition products	<ul><li>Heat, sparks, fire, and oxidizing agents.</li><li>No data available</li></ul>
Other data	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
	Keep in a dry place.
	No decomposition if stored and applied as directed.
CTION 11: Toxicological info	No decomposition if stored and applied as directed.
CTION 11: Toxicological info Diacel® FL Polymer Acute oral toxicity	No decomposition if stored and applied as directed.
Diacel® FL Polymer	No decomposition if stored and applied as directed.
Diacel® FL Polymer	No decomposition if stored and applied as directed.
Diacel® FL Polymer Acute oral toxicity Eye irritation	No decomposition if stored and applied as directed.
Diacel® FL Polymer Acute oral toxicity Eye irritation Potassium Chloride	No decomposition if stored and applied as directed.
Diacel® FL Polymer Acute oral toxicity Eye irritation Potassium Chloride Further information	<ul> <li>No decomposition if stored and applied as directed.</li> <li>mation</li> <li>Acute toxicity estimate: 4,314 mg/kg Method: Calculation method</li> <li>Acute toxicity estimate: 4,314 mg/kg Method: Calculation method</li> <li>Causes mild skin and eye irritation</li> <li>No data available.</li> </ul>
Diacel® FL Polymer Acute oral toxicity Eye irritation Potassium Chloride Further information Potassium Chloride	<ul> <li>No decomposition if stored and applied as directed.</li> <li>mation</li> <li>Acute toxicity estimate: 4,314 mg/kg Method: Calculation method</li> <li>Acute toxicity estimate: 4,314 mg/kg Method: Calculation method</li> <li>Causes mild skin and eye irritation</li> <li>No data available.</li> </ul>
Diacel® FL Polymer Acute oral toxicity Eye irritation Potassium Chloride Further information Potassium Chloride CTION 12: Ecological inform	<ul> <li>No decomposition if stored and applied as directed.</li> <li>mation</li> <li>Acute toxicity estimate: 4,314 mg/kg Method: Calculation method</li> <li>Acute toxicity estimate: 4,314 mg/kg Method: Calculation method</li> <li>Causes mild skin and eye irritation</li> <li>No data available.</li> </ul>
Diacel® FL Polymer Acute oral toxicity Eye irritation Potassium Chloride Further information Potassium Chloride CTION 12: Ecological information	No decomposition if stored and applied as directed.

	SAFETY DATA SHEET
ersion 1.5	Revision Date 2017-01-13
Potassium Chloride	: LC50: 660 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) static test
Elimination information (pe	ersistence and degradability)
Biodegradability	: This material is not expected to be readily biodegradable.
Ecotoxicology Assessm	ent
Additional ecological information	: This material is not expected to be harmful to aquatic organisms.
CTION 13: Disposal consid	derations
The information in this SD	S pertains only to the product as shipped.
may meet the criteria of a other State and local regu regulated components ma	ed purpose or recycle if possible. This material, if it must be discarded, hazardous waste as defined by US EPA under RCRA (40 CFR 261) or lations. Measurement of certain physical properties and analysis for ay be necessary to make a correct determination. If this material is waste, federal law requires disposal at a licensed hazardous waste
Product	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.
CTION 14: Transport infor	mation
	ns shown here are for bulk shipments only, and may not apply to backages (see regulatory definition).
Goods Regulations for add etc.) Therefore, the inform	omestic or international mode-specific and quantity-specific Dangerous ditional shipping description requirements (e.g., technical name or names, nation shown here, may not always agree with the bill of lading shipping al. Flashpoints for the material may vary slightly between the SDS and the
	ES DEPARTMENT OF TRANSPORTATION) & A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR BY THIS AGENCY.
	ONAL MARITIME DANGEROUS GOODS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR BY THIS AGENCY.
	AIR TRANSPORT ASSOCIATION) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR BY THIS AGENCY.
	6/9

SAFETY DATA SHEET

	SAFETY DATA SHEET
Version 1.5	Revision Date 2017-01-13
	DANGEROUS GOODS BY ROAD (EUROPE)) & A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR BY THIS AGENCY.
DANGEROUS GOODS (	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
OF DANGEROUS GOOD	EMENT CONCERNING THE INTERNATIONAL CARRIAGE S BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR BY THIS AGENCY.
· · ·	to Annex II of MARPOL 73/78 and the IBC Code
SECTION 15: Regulatory info	prmation
National legislation	
SARA 311/312 Hazards	: No SARA Hazards
of a first of the first first and of	
EPCRA - EMERGENCY P	LANNING COMMUNITY RIGHT - TO – KNOW
SARA 302 Threshold Planning Quantity	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 Ingredients	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Clean Air Act	
Potential Cla	s product neither contains, nor was manufactured with a Class I or ss II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR Subpt. A, App.A + B).
This product does not con Act Section 112 (40 CFR	tain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air 61).
	7/9

				SAFETY DATA SHE
sion 1.5				Revision Date 2017-01-
California Prop. 65 Ingredients	of			any chemicals known to the State birth, or any other reproductive
Notification status	ì	: On the	inventory, or i	n compliance with the inventory
United States of Am TSCA	terica (USA)			n compliance with the inventory
Canada DSL Australia AICS New Zealand NZIo	C	: On the	inventory, or i	n compliance with the inventory n compliance with the inventory h the inventory
Japan ENCS Korea KECI	C	: Not in (	compliance wit	the inventory the inventory the inventory
Philippines PICCS China IECSC		: On the	inventory, or i	n compliance with the inventory n compliance with the inventory
CTION 16: Other info		ealth Hazard:	1	
Further informatio	'n			
Legacy SDS Numb	er : 2	83670		
Significant changes previous versions.	since the last v	version are hiç	ghlighted in the	e margin. This version replaces all
The information in t	his SDS pertain	ns only to the p	product as ship	oped.
	ief at the date o	of its publication	n. The informa	the best of our knowledge, ation given is designed only as a ation, disposal and release and is
guidance for safe had not to be considered	d a warranty or signated and m	quality specifi ay not be vali	d for such mate	ormation relates only to the erial used in combination with any
guidance for safe ha not to be considered specific material de other materials or in Key or l	d a warranty or signated and m n any process, u legend to abbre	quality specifi ay not be vali unless specifie	d for such mate ed in the text. acronyms used	erial used in combination with any
guidance for safe ha not to be considered specific material de other materials or in Key or ACGIH Am Go	d a warranty or signated and m n any process, u legend to abbre perican Conference vernment Industr	quality specifi ay not be vali unless specifie eviations and a ce of ial Hygienists	d for such mate ed in the text. acronyms used	erial used in combination with any in the safety data sheet Lethal Dose 50%
guidance for safe ha not to be considered specific material de other materials or in <u>Key or I</u> ACGIH Am Go AICS Aus	d a warranty or signated and m n any process, u legend to abbre perican Conference vernment Industr stralia, Inventory bstances	quality specification of the validation of the v	d for such mate ad in the text. acronyms used LD50 LOAEL	erial used in combination with any l in the safety data sheet Lethal Dose 50% Lowest Observed Adverse Effect Level
guidance for safe ha not to be considered specific material de other materials or in ACGIH Am Go AICS Aus Sul DSL Cau	d a warranty or signated and m n any process, u legend to abbre perican Conference vernment Industr stralia, Inventory bstances nada, Domestic S t	quality specification of the vality of the v	d for such mate acronyms used LD50 LOAEL NFPA	erial used in combination with any         l in the safety data sheet         Lethal Dose 50%         Lowest Observed Adverse Effect         Level         National Fire Protection Agency
guidance for safe ha not to be considered specific material de other materials or in ACGIH Am Go AICS Aus Sul DSL Cau List NDSL Cau	d a warranty or signated and m n any process, u legend to abbre perican Conference vernment Industr stralia, Inventory bstances nada, Domestic S	quality specification of the valid of the va	d for such mate ad in the text. acronyms used LD50 LOAEL	erial used in combination with any l in the safety data sheet Lethal Dose 50% Lowest Observed Adverse Effect Level

NTP

8/9

CNS

Central Nervous System

Safety & Health National Toxicology Program

## SAFETY DATA SHEET

## Version 1.5

Revision Date 2017-01-13

CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		